Valid from: 14.12.2018

ISO 7010 Safety signs



General description:

- EN-ISO 7010 confirmative safety signs
- Industrial quality, self-adhesive labels
- All signs in the ISO 7010 standard available upon request
- Available in three different sizes (all sizes in accordance with ASR A1.3)

Warning signs (W)



Mandatory equipment signs (M)



Body FXP - Laminated polyester

Technical features:

Material:

Temperature range -40°C up to +150°C Application temperature +10°C (minimum) Prohibition signs (P



Adhesion strength:

 From:
 Stainless steel
 825 N/25 mm

 Glass
 875 N/25mm

 Polypropylene
 700 N/25mm

 Automotive paint
 780 N/25mm

 PBT
 720 N/25mm

 Shear:
 50 hours

 Probe tack:
 720gram/m2

Chemical resistance:

Test method ASTM D896. Room temp, 24h dwell on stainless steel, immersion 5 x 10 min in solvent, 30 min recovery vs. 72 hours in room temp.

Glass cleaner: No visual change or adhesion loss
Isopropyl alcohol: No visual change or adhesion loss
Gasoline No visual change, 10% adhesion loss
Toluene: No visual change, 10% adhesion loss
Oil (SAE 10W-30) No visual change or adhesion loss
Acetic Acid 5% No visual change, 10% adhesion loss
Water No visual change or adhesion loss

Humidity resistance:

Test method: on stainless steel at 38 C and 95% relative humidity vs 72 hours on steel in room temperature

1 day + 15 min rec. No visual change, 60% adhesion loss 1 day + 24 hrs rec. No visual change or adhesion loss 7 days +15 min rec. No visual change, 50% adhesion loss 7 days +24 hrs rec. No visual change or adhesion loss

Creator: Fleximark/FE	Document: DB83880016EN	Page 1 of 7
Released: 181214	Version: 1	

Valid from: 14.12.2018

ISO 7010 Safety signs



UV and weathering resistance:

The laminate in FXP blocks harmful UV-radiation and protects the surface against UV and weathering, chemicals, moisture and some scratching.

Test method ISO4892-2 in an Atlas Suntest XLS+ with Xenon Arc lamp.

Left side: reference samples.

Right side: Material after 10 simulated years.





Valid from: 14.12.2018

ISO 7010 Safety signs



Purchasing information:

- 10 Labels/Unit
- 1 PU
- Dimensions is the diameter for round signs and each side's length for triangles. All sizes are in accordance with ASR A1.3.

Valid from: 14.12.2018

ISO 7010 Safety signs



Warning signs 10 labels/pack

ISO 7010: W001

Generic warning sign



83880016: 25 mm 83880017: 50 mm 83880018: 100 mm

ISO 7010: W002 Explosive material, warning

83880019: 25 mm 83880020: 50 mm 83880021: 100 mm ISO 7010: W003 Radioactive material or ionising radiation

> 83880022: 25 mm 83880023: 25 mm 83880024: 50 mm

warning

ISO 7010: W004

Laser beam. warning

83880025: 25 mm 83880026: 50 mm 83880027: 100 mm ISO 7010: W005

Nonionising radiation, warning

83880028: 25 mm 83880029: 50 mm 83880030: 100 mm

ISO 7010: W006

Magnetic field, warning



83880031: 25 mm 83880032: 50 mm 83880033: 100 mm ISO 7010: W007 Floor-level obstacle, warning

> 83880034: 25 mm 83880035: 50 mm 83880036: 100 mm

ISO 7010: W008 Drop (fall), warning

> 83880037 25 mm 83880038: 50 mm 83880039: 100 mm

ISO 7010: W009

Biological hazard, warning

83880040: 25 mm 83880041: 50 mm 83880042: 100 mm ISO 7010: W010

Low temperature/ freezing conditions warning

83880043: 25 mm 83880044: 50 mm 83880045: 100 mm

ISO 7010: W011

warning



83880046: 25 mm 83880047: 50 mm 83880048: 100 mm ISO 7010: W012

Electricity, warning

83880049: 25 mm 83880050: 50 mm 83880051: 100 mm ISO 7010: W013

Guard dog warning

83880052: 25 mm 83880053: 50 mm 83880054: 100 mm ISO 7010: W014

Fork lift truck and other industrial vehicles. warning

83880055: 25 mm 83880056: 50 mm 83880057: 100 mm ISO 7010: W015

Overhead load, warning

83880058: 25 mm 83880059: 50 mm 83880060: 100 mm

ISO 7010: W016

Toxic material, warning



83880061: 25 mm 83880062: 50 mm 83880063: 100 mm ISO 7010: W017

Hot surface, warning

83880064: 25 mm 83880065: 50 mm 83880066: 100 mm ISO 7010: W018

Automatic start-up, warning

83880067: 25 mm 83880068: 50 mm 83880069: 100 mm ISO 7010:

Crushing,



83880070: 25 mm 83880071: 50 mm 83880072: 100 mm ISO 7010: W020

Overhead obstacle, warning

83880073: 25 mm 83880074: 50 mm 83880075: 100 mm

ISO 7010: W021

Flammable, material, warning



83880076: 25 mm 83880077: 50 mm 83880078: 100 mm ISO 7010: W022

Sharp element,



83880079: 25 mm 83880080: 50 mm 83880081: 100 mm ISO 7010: W023

Corrosive substance. warning

83880082: 25 mm 83880083: 50 mm 83880084: 100 mm ISO 7010: W024

Crushing of hands. warning

83880085: 25 mm 83880086: 50 mm 83880087: 100 mm ISO 7010: W025

Counterrotating rollers, warning

83880088: 25 mm 83880089: 50 mm 83880090: 100 mm

Page 4 of 7

ISO 7010: W026

Battery charging, warning

83880091: 25 mm 83880092: 50 mm 83880093: 100 mm ISO 7010: W027

Optical radiation, warning

83880094: 25 mm 83880095: 50 mm 83880096: 100 mm ISO 7010: W028

Oxidizing substance warning

83880097: 25 mm 83880098: 50 mm 83880099: 100 mm ISO 7010: W029

Pressurized cylinder, warning

83880100: 25 mm 83880101: 50 mm 83880102: 100 mm

Creator: Fleximark/FE Released: 181214

Version: 1

Document: DB83880016EN

We reserve all rights according to DIN ISO 16016.

PD 0019/05_04.18EN



Valid from: 14.12.2018

ISO 7010 Safety signs



Mandatory signs 10 labels/pack

ISO 7010: M001

General mandatory action sign



ISO 7010: M002

instruction manual/ booklet



ISO 7010: M003

Wear ear protection



ISO 7010: M004

Wear eye protection



ISO 7010: M005

an earth terminal to the ground



83880106: 25 mm 83880107: 50 mm 83880108: 100 mm 83880109: 25 mm 83880110: 50 mm 83880111: 100 mm 83880112: 25 mm 83880113: 50 mm 83880114: 100 mm 83880115: 25 mm 83880116: 50 mm 83880117: 100 mm 83880118: 25 mm 83880119: 50 mm 83880120: 100 mm

ISO 7010: M006

Disconnect mains plug from electrical outlet

ISO 7010: M007 Opaque eye pro-tection

must be

Wear safety footwear

ISO 7010: MOOR

ISO 7010: M009

Wear protective gloves



ISO 7010: M010

Wear protective clothing



83880121: 25 mm 83880122: 50 mm 83880123: 100 mm 83880124: 25 mm 83880125: 50 mm 83880126: 100 mm 83880127: 25 mm 83880128: 50 mm 83880129: 100 mm 83880130: 25 mm 83880131: 50 mm 83880132: 100 mm 83880133; 25 mm 83880134: 50 mm 83880135: 100 mm

ISO 7010: M011



ISO 7010:

handrail

ISO 7010: M013 Wear a face shield



ISO 7010: M014

Wear head protection

83880145: 25 mm

83880146: 50 mm

83880147: 100 mm

83880160: 25 mm

83880161: 50 mm



ISO 7010: M015

Wear high visibility clothing

83880148: 25 mm

83880149: 50 mm

83880150: 100 mm



83880136: 25 mm 83880137: 50 mm 83880138: 100 mm 83880139: 25 mm 83880140: 50 mm 83880141: 100 mm 83880142: 25 mm 83880143: 50 mm

83880144: 100 mm

ISO 7010: M019

Wear a



ISO 7010: M020

Wear safety belts



Wear a

ISO 7010: M016

83880151: 25 mm 83880152: 50 mm

respiratory protection

83880154: 25 mm

83880155: 50 mm

ISO 7010: M017

Wear

Wear a safety harness

M018

ISO 7010:

83880157: 25 mm

welding mask

83880163: 25 mm 83880164: 50 mm 83880165: 100 mm

ISO 7010: M021

83880153: 100 mm

Disconnect before out maintenance or repair

ISO 7010: M022

barrier



ISO 7010: M023

footbridge

83880158: 50 mm



ISO 7010: M024

this



ISO 7010: M025

infants eyes with opaque eye protection



83880166: 25 mm 83880167: 50 mm 83880168: 100 mm

83880169: 25 mm 83880170: 50 mm 83880171: 100 mm

83880172: 25 mm 83880173: 50 mm 83880174: 100 mm 83880175: 25 mm 83880176: 50 mm 83880177: 100 mm

83880178: 25 mm 83880179: 50 mm 83880180: 100 mm

ISO 7010: M026

Use protective apron

83880182: 50 mm 83880183: 100 mm



Creator: Fleximark/FE Released: 181214

Document: DB83880016EN

Version: 1

Page 5 of 7

We reserve all rights according to DIN ISO 16016. PD 0019/05_04.18EN

Valid from: 14.12.2018

ISO 7010 Safety signs



Prohibition signs 10 labels/pack

ISO 7010: P001

General prohibition sign



ISO 7010: P002

No smoking



No open

ISO 7010: P003

Fire, open ignition source and smoking prohibited

ISO 7010: P004

No thorough fare



ISO 7010: P005

Not drinking water



83880184: 25 mm 83880185: 50 mm 83880186: 100 mm 83880187: 25 mm 83880188: 50 mm 83880189: 100 mm

83880190: 25 mm 83880191: 50 mm 83880192: 100 mm 83880193: 25 mm 83880194: 50 mm 83880195: 100 mm 83880196: 25 mm 83880197: 50 mm 83880198: 100 mm

ISO 7010: P006

No access for forklift trucks and other vehicles

ISO 7010: P012

No heavy



ISO 7010: P007

No access for people with active implanted cardiac



ISO 7010: P008

metallic articles or watches



ISO 7010: P010

Do not touch



ISO 7010: P011

Do not extinguish with water

83880214: 25 mm

83880215: 50 mm

83880216: 100 mm



83880199: 25 mm 83880200: 50 mm 83880201: 100 mm

83880201: 25 mm 83880203: 50 mm 83880204: 100 mm

ISO 7010:

P013 No activated mobile

ISO 7010: P014

83880205: 25 mm

83880206: 50 mm

83880207: 100 mm

No access for people with metallic implants



ISO 7010: P015

83880211: 25 mm

83880212: 50 mm

83880213: 100 mm

No reaching



ISO 7010: P016

Do not spray with wate



83880217: 25 mm 83880218: 50 mm 83880219: 100 mm

83880220: 25 mm 83880221: 50 mm 83880222: 100 mm 83880223: 25 mm 83880224: 50 mm 83880225: 100 mm

83880226: 25 mm 83880227: 50 mm 83880228: 100 mm 83880229: 25 mm 83880230: 50 mm 83880231: 100 mm

Creator: Fleximark/FE Released: 181214

Version: 1

Document: DB83880016EN

Page 6 of 7

Valid from: 14.12.2018

ISO 7010 Safety signs



Precautions for hygiene-critical applications

ISO 7010: P017

No pushing



ISO 7010: P018 No sitting



ISO 7010: P019

stepping on surface



ISO 7010: P020

Do not use lift in the event of fire



ISO 7010: P021

No dogs



83880232: 25 mm 83880233: 50 mm

83880234: 100 mm

83880235: 25 mm 83880236: 50 mm 83880237: 100 mm 83880238: 25 mm 83880239: 50 mm 83880240: 100 mm 83880241: 25 mm 83880242: 50 mm 83880243: 100 mm 83880244: 25 mm 83880245: 50 mm 83880246: 100 mm

ISO 7010: P022

No eating or drinking



ISO 7010: P023

Do not obstruct



ISO 7010: P024

Do not stand here



ISO 7010: P025

Do not use this incomplete scaffold



ISO 7010: P026

Do not use this device in a bathtub shower or water-filled reservoir



83880247: 25 mm 83880248: 50 mm 83880249: 100 mm

83880250: 25 mm 83880251: 50 mm 83880252: 100 mm

83880253: 25 mm 83880254: 50 mm 83880255: 100 mm 83880256: 25 mm 83880257: 50 mm 83880258: 100 mm

83880259: 25 mm 83880260: 50 mm 83880261: 100 mm

ISO 7010: P027

Do not use this lift for people



ISO 7010: P028

Do not wear gloves



ISO 7010: P029

No photo-



ISO 7010: P030

Do not tie knots in rope



ISO 7010: P031

Do not alter the switch



83880262: 25 mm 83880263: 50 mm 83880264: 100 mm 83880265: 25 mm 83880266: 50 mm 83880267: 100 mm 83880268: 25 mm 83880269: 50 mm 83880270: 100 mm 83880271: 25 mm 83880272: 50 mm 83880273: 100 mm 83880274: 25 mm 83880275: 50 mm 83880276: 100 mm

ISO 7010: P032

for face grinding



Do not use for wet grinding



with handheld grinding machine

ISO 7010: P034



83880283: 25 mm 83880284: 50 mm 83880285: 100 mm

83880277: 25 mm 83880278: 50 mm 83880279: 100 mm ISO 7010: P033

83880280: 25 mm 83880281: 50 mm 83880282: 100 mm

Creator: Fleximark/FE Released: 181214

Document: DB83880016EN

Version: 1

Page 7 of 7